

Monitoring JavaMelody on /SapphireIMS_PROD CIMSAPP1


Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 /searchRecords.* ajax POST		6,022	68,955	7,540	1,243	146,616	0.00	103	4,809
 select distinct sdproject1_.ProjectRoleId as col_0_0_ from sd_project_roles_details sdproject0_ inner join sd_project_roles sdproject1_ on sdproject0_.ProjectRoleId=sdproject1_.ProjectRoleId where sdproject0_.ProjectRoleId=sdproject1_.ProjectRoleId and sdproject1_.ProjectID=? and sdproject0_.UserID=?	7.64	4	2,060	34			0.00		
 select sdproject0_.AccessValue as col_0_0_ from sd_project_roles_access sdproject0_ where (sdproject0_.ProjectRoleId in (? , ? , ?)) and sdproject0_.AccessValue=?	2.27	3	276	19			0.00		
 select sdservicer0_.SubmittedBy as col_0_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_.ProblemId=? limit ?	1.55	1	31	2			0.00		
 select usermgmtma0_.ProfilePicture as col_0_0_ from usermgmt_master usermgmtma0_ where usermgmtma0_.UserID=?	1.55	2	276	14			0.00		
 select UDF_dayhour(?,?)	3.10	4	1,075	32			0.00		
 select sdconfigse0_.SettingValue as col_0_0_ from sd_configsettings sdconfigse0_ where sdconfigse0_.ProjectID=? and (sdconfigse0_.ServiceID=? or sdconfigse0_.ServiceID=0) and sdconfigse0_.SettingKEY=?	10.84	2	272	10			0.00		
 select sdservicer0_.ProblemId as col_0_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_.ParentID=? and (sdservicer0_.CurrentStatus not in (select sdstatecat1_.StateID from sd_statecategory_details sdstatecat1_ where sdstatecat1_.StateCategoryID in (? , ?)))	1.55	5	317	26			0.00		
 select sdstatesma0_.StateId as col_0_0_ from sd_statesmaster sdstatesma0_ where sdstatesma0_.Status=0 and sdstatesma0_.IsEndState=1 and sdstatesma0_.ProjectID=? limit ?	3.10	5	279	26			0.00		
 select sdstatecat0_.StateCategoryID as col_0_0_ , sdstatecat1_.StateCategoryName as col_1_0_ from sd_statecategory_details sdstatecat0_ cross join sd_statecategory_master sdstatecat1_ where sdstatecat0_.StateID=? and sdstatecat0_.StateCategoryID=sdstatecat1_.StateCategoryID and sdstatecat1_.ProjectID=?	3.10	5	827	38			0.00		
 Select SettingValue from sd_configsettings where SettingKEY=? and ProjectID=? and (ServiceID=? or ServiceID=0)	1.55	2	282	9			0.00		
 select sdstatesma0_.StateName as col_0_0_ from sd_statesmaster sdstatesma0_ where sdstatesma0_.StateId=? and sdstatesma0_.Status=0	3.10	0	0	0			0.00		
 select sdservicer0_.CurrentStatus as col_0_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_.ProblemId=? limit ?	3.10	3	476	22			0.00		
 select sdstatesfi0_.InputId as col_0_0_ from sd_states_fixedfields sdstatesfi0_ where sdstatesfi0_.Input='Multi App ID' and sdstatesfi0_.StateID=?	1.55	1	36	3			0.00		
 select distinct sdproject1_.ProjectRoleId as col_0_0_ from sd_project_roles_details sdproject0_ inner join sd_project_roles sdproject1_ on sdproject0_.ProjectRoleId=sdproject1_.ProjectRoleId where sdproject1_.ProjectID=? and sdproject0_.UserID=? and sdproject1_.RoleName<>'Submitter'	1.55	1	53	2			0.00		
 SELECT distinct AState FROM sd_workflowmaster sw inner join sd_workflowdetail s on sw.StateMovementID=s.StateMovementID and s.WORKFLOW_CATEGORYID =1 inner join sd_workflowdetail d on d.StateMovementID = s.StateMovementID and d.WORKFLOW_CATEGORYID =2 inner join sd_workflowdetail e on e.StateMovementID = d.StateMovementID and (e.WORKFLOW_CATEGORYID =3 and find_in_set(e.WORKFLOW_CATEGORY_VALUE,?)) inner join sd_workflowdetail f on d.StateMovementID = f.StateMovementID inner join sd_workflowdetail g on f.StateMovementID = g.StateMovementID inner join sd_workflowdetail h on g.StateMovementID = h.StateMovementID inner join sd_servicereqmaster sd on sd.currentstatus=sw.PState and sw.projectid=sd.projectid and sd.serviceid=s.WORKFLOW_CATEGORY_VALUE and (d.WORKFLOW_CATEGORY_VALUE=0 OR d.WORKFLOW_CATEGORY_VALUE=sd.subcategory) and (f.WORKFLOW_CATEGORYID=4 and (f.WORKFLOW_CATEGORY_VALUE=0 OR f.WORKFLOW_CATEGORY_VALUE=sd.derivedField1)) and (g.WORKFLOW_CATEGORYID=5 and (g.WORKFLOW_CATEGORY_VALUE=0 OR g.WORKFLOW_CATEGORY_VALUE =sd.derivedField2)) and (h.WORKFLOW_CATEGORYID=6 and (h.WORKFLOW_CATEGORY_VALUE=0 OR h.WORKFLOW_CATEGORY_VALUE =sd.derivedField3)) where sd.problemid = ?	1.55	9	284	29			0.00		
 select sdstatecat0_.StateCategoryID as col_0_0_ from sd_statecategory_master sdstatecat0_ cross join sd_statecategory_details sdstatecat1_ where sdstatecat0_.StateCategoryID=sdstatecat1_.StateCategoryID and sdstatecat0_.ProjectID=? and sdstatecat1_.StateID=?	3.25	3	367	19			0.00		
 select sdstatesma0_.StateName as col_0_0_ from sd_statesmaster sdstatesma0_ where sdstatesma0_.Status=0 and sdstatesma0_.StateId=?	1.63	4	339	24			0.00		
 SELECT sw.ScriptName, sw.ScriptProperties,sq.currentStatus FROM sd_workflowmaster sw inner join sd_servicereqmaster sq on sw.pstate = sq.currentstatus where AState = ? and sw.ProjectID=sq.projectid and sq.projectid = ? and sq.problemid = ?	1.63	4	818	30			0.00		
 select sdservicer0_.Owner as col_0_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_.ProblemId=? limit ?	1.55	2	123	11			0.00		
 select count(sdmailnoti0_.ID) as col_0_0_ from sd_mailnotification sdmailnoti0_ where sdmailnoti0_.ProblemID=?	3.10	4	821	26			0.00		
 SELECT ks.Slno FROM knowledge_store ks,knowledge_tickets kt where ks.Status = 0 and ks.BaseType=? and ks.Slno=kt.Slno and kt.TicketID=?	3.10	1	40	3			0.00		

Monitoring JavaMelody on /SapphireIMS PRODCIMSAPP1

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
<pre>select sdservicer0_ProblemId as Problem11_264_0_, sdservicer0_AlertID as AlertID2_264_0_, sdservicer0_AlternativeEmail as Alternat3_264_0_, sdservicer0_ApprovalManager as Approva4_264_0_, sdservicer0_AssetNumber as AssetNum5_264_0_, sdservicer0_Attachment as Attachme6_264_0_, sdservicer0_Category as Category7_264_0_, sdservicer0_CcMailId as CcMailId8_264_0_, sdservicer0_ContactNumber as ContactN9_264_0_, sdservicer0_ConversionType as Convers10_264_0_, sdservicer0_CreationTime as Creatio11_264_0_, sdservicer0_CSI as CSI12_264_0_, sdservicer0_CurrentStatus as Current13_264_0_, sdservicer0_DelegatedFrom_ApprovalManager as Delegat14_264_0_, sdservicer0_DelegatedFrom_Owner as Delegat15_264_0_, sdservicer0_DepartmentID as Departm16_264_0_, sdservicer0_DerivedField1 as Derived17_264_0_, sdservicer0_DerivedField2 as Derived18_264_0_, sdservicer0_DerivedField3 as Derived19_264_0_, sdservicer0_Enclosure as Enclosu20_264_0_, sdservicer0_ExpectedClosureTime as Expecte21_264_0_, sdservicer0_GroupID as GroupID22_264_0_, sdservicer0_ImpactID as ImpactI23_264_0_, sdservicer0_IncidentType as Incident24_264_0_, sdservicer0_IsLinked as IsLinke25_264_0_, sdservicer0_IsRead as IsRead26_264_0_, sdservicer0_IsRead_UserID as IsRead_27_264_0_, sdservicer0_IsTransferred as IsTrans28_264_0_, sdservicer0_LastOperatedTime as LastOpe29_264_0_, sdservicer0_LevelOneStatus as LevelOn30_264_0_, sdservicer0_LevelTwoStatus as LevelTw31_264_0_, sdservicer0_LocationID as Locatio32_264_0_, sdservicer0_Owner as Owner33_264_0_, sdservicer0_ParentID as ParentI34_264_0_, sdservicer0_Platform as Platfor35_264_0_, sdservicer0_Priority as Priori36_264_0_, sdservicer0_ProbDescription as ProbDes37_264_0_, sdservicer0_ProjectTransferComment as Project38_264_0_, sdservicer0_ProxySubmittedBy as ProxySu39_264_0_, sdservicer0_ReferencelID as Referen40_264_0_, sdservicer0_RepeatCall as RepeatC41_264_0_, sdservicer0_RequestID as Request42_264_0_, sdservicer0_REQUESTTYPE as REQUEST43_264_0_, sdservicer0_Resolution_CauseID as Resolut44_264_0_, sdservicer0_ResolutionComment as Resolut45_264_0_, sdservicer0_Resolution_Days as Resolut46_264_0_, sdservicer0_Resolution_Hours as Resolut47_264_0_, sdservicer0_Resolution_Minutes as Resolut48_264_0_, sdservicer0_ProjectID as Project57_264_0_, sdservicer0_ServiceID as Service58_264_0_, sdservicer0_Severity as Severit49_264_0_, sdservicer0_SLAViolationComment as SLAViol50_264_0_, sdservicer0_SubCategory as SubCate51_264_0_, sdservicer0_SubmittedBy as Submit52_264_0_, sdservicer0_SubmittedThrough as Submit53_264_0_, sdservicer0_Title as Title54_264_0_, sdservicer0_UrgencyID as Urgency55_264_0_, sdservicer0_version as version56_264_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_ProblemId=?</pre>	1.55	19	60,101	488			0.00		
<pre>select sdcategory0_CategoryName as col_0_0_ from sd_categorymaster sdcategory0_ where sdcategory0_CategoryId=?</pre>	3.10	3	385	22			0.00		
<pre>select sdsubcateg0_SubCategoryName as col_0_0_ from sd_subcategorymaster sdsubcateg0_ where sdsubcateg0_SubCategoryId=?</pre>	3.10	4	808	26			0.00		
<pre>select sdstatesma0_StateId as col_0_0_ from sd_statesmaster sdstatesma0_ where sdstatesma0_ProjectID=? and sdstatesma0_IsEndState=1 and sdstatesma0_Status=0 limit ?</pre>	1.55	2	62	5			0.00		
<pre>select sdstatesfi0_TypeOfInput as col_0_0_ from sd_states_fixedfields sdstatesfi0_ where sdstatesfi0_StateID=? and sdstatesfi0_input=? and sdstatesfi0_TypeOfInput=1 limit ?</pre>	2.89	4	814	26			0.00		
<pre>select count(sdattachme0_AttachmentID) as col_0_0_ from sd_attachmentdetails sdattachme0_ where (sdattachme0_DisplayType in (0, 1)) and sdattachme0_ProblemId=?</pre>	3.10	3	276	17			0.00		
<pre><P>ticketRecordsInclude.jsp</pre>	1.00	36	1,290	97	6	766	0.00	3	20
<pre>select distinct sdviewacce0_AccessValue as col_0_0_ from sd_viewaccess_details sdviewacce0_ inner join sd_viewaccess_master sdviewacce1_ on sdviewacce0_ViewAccessID=sdviewacce1_ViewAccessID where (sdviewacce1_ViewAccessID in (select sdviewacce3_ViewAccessID from sd_viewaccess_details sdviewacce2_ inner join sd_viewaccess_master sdviewacce3_ on sdviewacce2_ViewAccessID=sdviewacce3_ViewAccessID where sdviewacce2_ProjectID=? and (sdviewacce2_ModuleType=1 and sdviewacce2_AccessType=6 and (sdviewacce2_AccessValue in (? , ? , ? , ?)) or sdviewacce2_ModuleType=2 and sdviewacce2_AccessValue=?) group by sdviewacce3_ViewAccessID)) and sdviewacce0_ModuleType=1 and sdviewacce0_AccessType=?</pre>	6.01	1	46	3			0.00		
<pre>select sdprojectr0_AccessValue as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (? , ? , ? , ?)) and sdprojectr0_AccessValue=?</pre>	2.57	4	389	27			0.00		
<pre>select count(distinct sdprojectr0_ProjectRoleID) as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (? , ? , ? , ?)) and sdprojectr0_AccessValue=?</pre>	0.75	2	272	11			0.00		
<pre>select sdprojectr0_AccessValue as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (12 , 20 , 10 , 17)) and sdprojectr0_AccessValue=17</pre>	1.13	1	40	3			0.00		
<pre>select count(sdprojectr0_ProjectRoleID) as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (? , ? , ? , ?)) and sdprojectr0_AccessValue=? order by ProjectRoleID</pre>	1.13	3	315	15			0.00		
<pre>select distinct sdprojectr0_ProjectRoleID as col_0_0_ from sd_project_roles_details sdprojectr0_ where sdprojectr0_UserID=1962 and (sdprojectr0_ProjectRoleID in (select sdprojectr1_ProjectRoleID from sd_project_roles sdprojectr1_ where sdprojectr1_RoleName<>'Submitter' and sdprojectr1_ProjectID=1))</pre>	0.85	3	43	8			0.00		
<pre>select sdstatesfi0_TypeOfInput as col_0_0_ from sd_states_fixedfields sdstatesfi0_ where sdstatesfi0_StateID=48 and sdstatesfi0_input='Cancel Record' and sdstatesfi0_TypeOfInput=1</pre>	0.01	1	41	2			0.00		
<pre>select sdstatesfi0_TypeOfInput as col_0_0_ from sd_states_fixedfields sdstatesfi0_ where sdstatesfi0_StateID=6 and sdstatesfi0_input='Cancel Record' and sdstatesfi0_TypeOfInput=1</pre>	0.55	2	274	12			0.00		
<pre>select distinct sdviewacce0_AccessValue as col_0_0_ from sd_viewaccess_details sdviewacce0_ inner join sd_viewaccess_master sdviewacce1_ on sdviewacce0_ViewAccessID=sdviewacce1_ViewAccessID where (sdviewacce1_ViewAccessID in (select sdviewacce3_ViewAccessID from sd_viewaccess_details sdviewacce2_ inner join sd_viewaccess_master sdviewacce3_ on sdviewacce2_ViewAccessID=sdviewacce3_ViewAccessID where sdviewacce2_ProjectID=? and (sdviewacce2_ModuleType=1 and sdviewacce2_AccessType=6 and (sdviewacce2_AccessValue in (? , ? , ? , ? , ? , ? , ? , ? , ?)) or sdviewacce2_ModuleType=2 and sdviewacce2_AccessValue=?) group by sdviewacce3_ViewAccessID)) and sdviewacce0_ModuleType=1 and sdviewacce0_AccessType=?</pre>	0.59	3	278	16			0.00		
<pre>select sdprojectr0_AccessValue as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (? , ? , ? , ? , ? , ? , ? , ?)) and sdprojectr0_AccessValue=?</pre>	0.14	2	276	12			0.00		
<pre>select distinct sdprojectr0_ProjectRoleID as col_0_0_ from sd_project_roles_details sdprojectr0_ where sdprojectr0_UserID=872 and (sdprojectr0_ProjectRoleID in (select sdprojectr1_ProjectRoleID from sd_project_roles sdprojectr1_ where sdprojectr1_RoleName<>'Submitter' and sdprojectr1_ProjectID=1))</pre>	0.07	1	37	3			0.00		
<pre>select count(sdprojectr0_ProjectRoleID) as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_ProjectRoleID in (? , ? , ? , ? , ? , ? , ? , ?)) and sdprojectr0_AccessValue=? order by ProjectRoleID</pre>	0.07	2	286	14			0.00		

Monitoring JavaMelody on /SapphireIMS_PROD CIMSAPP1

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select sdstatesfi0_.TypeOfInput as col_0_0_ from sd_states_fixedfields sdstatesfi0_ where sdstatesfi0_.StateID=5 and sdstatesfi0_.Input='Cancel Record' and sdstatesfi0_.TypeOfInput=1	0.26	4	267	23			0.00		
 select distinct sdviewacce0_.AccessValue as col_0_0_ from sd_viewaccess_details sdviewacce0_ inner join sd_viewaccess_master sdviewacce1_ on sdviewacce0_.ViewAccessID=sdviewacce1_.ViewAccessID where (sdviewacce1_.ViewAccessID in (select sdviewacce3_.ViewAccessID from sd_viewaccess_details sdviewacce2_ inner join sd_viewaccess_master sdviewacce3_ on sdviewacce2_.ViewAccessID=sdviewacce3_.ViewAccessID where sdviewacce2_.ProjectID=? and (sdviewacce2_.ModuleType=1 and sdviewacce2_.AccessType=6 and (sdviewacce2_.AccessValue in (?, ?, ?, ?, ?)) or sdviewacce2_.ModuleType=2 and sdviewacce2_.AccessValue=?) group by sdviewacce3_.ViewAccessID)) and sdviewacce0_.ModuleType=1 and sdviewacce0_.AccessType=?	1.40	2	277	14			0.00		
 select sdprojectr0_.AccessValue as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_.ProjectRoleID in (?, ?, ?, ?, ?)) and sdprojectr0_.AccessValue=?	0.52	2	299	17			0.00		
 select count(sdprojectr0_.ProjectRoleID) as col_0_0_ from sd_project_roles_access sdprojectr0_ where (sdprojectr0_.ProjectRoleID in (?, ?, ?, ?, ?)) and sdprojectr0_.AccessValue=? order by ProjectRoleID	0.34	1	275	10			0.00		
 select distinct sdprojectr0_.ProjectRoleID as col_0_0_ from sd_project_roles_details sdprojectr0_ where sdprojectr0_.UserID=2271 and (sdprojectr0_.ProjectRoleID in (select sdprojectr1_.ProjectRoleID from sd_project_roles sdprojectr1_ where sdprojectr1_.RoleName<>'Submitter' and sdprojectr1_.ProjectID=1))	0.34	3	270	22			0.00		
 select distinct sdprojectr0_.ProjectRoleID as col_0_0_ from sd_project_roles_details sdprojectr0_ where sdprojectr0_.UserID=2260 and (sdprojectr0_.ProjectRoleID in (select sdprojectr1_.ProjectRoleID from sd_project_roles sdprojectr1_ where sdprojectr1_.RoleName<>'Submitter' and sdprojectr1_.ProjectID=1))	0.28	3	268	17			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)