Monitoring JavaMelody on /SapphireIMS_PRODCIMSAPP1

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
/ticket/stateChange POST		49,307	7,251,999	537,970	65	6,830	1.33	71	49,112
select sdservicer0_.ProblemId as ProblemI1_264_0_, sdservicer0_.AlertID as AlertID2_264_0_, sdservicer0_.AlternativeEmail as Alternat3_264_0_, sdservicer0_.ApprovalManager as Approval4_264_0_, sdservicer0_.AssetNumber as AssetNum5_264_0_, sdservicer0_.Attachment as Attachme6_264_0_, sdservicer0_.Category as Category7_264_0_, sdservicer0_.CcMailId as CcMailId8_264_0_, sdservicer0_.ContactNumber as ContactN9_264_0_, sdservicer0_.ConversionType as Convers10_264_0_, sdservicer0_.CreationTime as Creatio11_264_0_, sdservicer0_.CSI as CSI12_264_0_, sdservicer0_.CurrentStatus as Current13_264_0_, sdservicer0_.DelegatedFrom_ApprovalManager as Delegat14_264_0_, sdservicer0_.DelegatedFrom_Owner as Delegat15_264_0_, sdservicer0_.DepartmentID as Departm16_264_0_, sdservicer0_.DerivedField1 as Derived17_264_0_, sdservicer0_.DerivedField2 as Derived18_264_0_, sdservicer0_.DerivedField3 as Derived19_264_0_, sdservicer0_.Enclosure as Enclosu20_264_0_, sdservicer0_.ExpectedClosureTime as Expecte21_264_0_, sdservicer0_.GroupID as GroupID22_264_0_, sdservicer0_.ImpactID as ImpactI23_264_0_, sdservicer0_.IncidentType as Inciden24_264_0_, sdservicer0_.isLinked as isLinke25_264_0_, sdservicer0_.IsRead as IsRead26_264_0_, sdservicer0_.IsRead_UserID as IsRead_27_264_0_, sdservicer0_.IsTransferred as IsTrans28_264_0_, sdservicer0_.LastOperatedTime as LastOpe29_264_0_, sdservicer0_.LevelOneStatus as LevelOn30_264_0_, sdservicer0_.LevelTwoStatus as LevelTw31_264_0_, sdservicer0_.LocationID as Locatio32_264_0_, sdservicer0_.Owner as Owner33_264_0_, sdservicer0_.ParentID as ParentI34_264_0_, sdservicer0_.Platform as Platfor35_264_0_, sdservicer0_.Priority as Priorit36_264_0_, sdservicer0_.ProbDescription as ProbDes37_264_0_, sdservicer0_.ProjectTransferComment as Project38_264_0_, sdservicer0_.ProxySubmittedBy as ProxySu39_264_0_, sdservicer0_.ReferenceID as Referen40_264_0_, sdservicer0_.RepeatCall as RepeatC41_264_0_, sdservicer0_.RequestID as Request42_264_0_, sdservicer0_.REQUESTTYPE as REQUEST43_264_0_, sdservicer0_.Resolution_CauseID as Resolut44_264_0_, sdservicer0_.ResolutionComment as Resolut45_264_0_, sdservicer0_.Resolution_Days as Resolut46_264_0_, sdservicer0_.Resolution_Hours as Resolut47_264_0_, sdservicer0_.Resolution_Minutes as Resolut48_264_0_, sdservicer0_.ProjectID as Project57_264_0_, sdservicer0_.ServiceID as Service58_264_0_, sdservicer0_.Severity as Severit49_264_0_, sdservicer0_.SLAViolationComment as SLAViol50_264_0_, sdservicer0_.SubCategory as SubCate51_264_0_, sdservicer0_.SubmittedBy as Submitt52_264_0_, sdservicer0_.SubmittedThrough as Submitt53_264_0_, sdservicer0_.Title as Title54_264_0_, sdservicer0_.UrgencyID as Urgency55_264_0_, sdservicer0_.version as version56_264_0_ from sd_servicereqmaster sdservicer0_ where sdservicer0_.ProblemId=?	2.04	5	20,056	242			0.00		
select sdservicer0_.ParamID as ParamID1_260_, sdservicer0_.Data as Data2_260_, sdservicer0_.DataId as DataId3_260_, sdservicer0_.InstanceID as Instance4_260_, sdservicer0_.ProblemID as ProblemI5_260_, sdservicer0_.ProjectID as ProjectI6_260_, sdservicer0_.FIELDID as FIELDID7_260_ from sd_servicereq_additionalparams sdservicer0_ where sdservicer0_.ProblemID=?	4.84	1	278	11			0.00		
select sdprojectm0_.ProjectID as ProjectI1_227_0_, sdprojectm0_.color as color2_227_0_, sdprojectm0_.DisplayOrder as DisplayO3_227_0_, sdprojectm0_.image as image4_227_0_, sdprojectm0_.ProjectDescription as ProjectD5_227_0_, sdprojectm0_.ProjectName as ProjectN6_227_0_, sdprojectm0_.shortname as shortnam7_227_0_, sdprojectm0_.Status as Status8_227_0_, sdprojectm0_.VERSION as VERSION9_227_0_ from sd_project_master sdprojectm0_ where sdprojectm0_.ProjectID=?	1.07	1	270	6			0.00		
select sdservice0_.ServiceID as ServiceI1_254_0_, sdservice0_.DefaultImageName as DefaultI2_254_0_, sdservice0_.IsMobileVisibility as IsMobile3_254_0_, sdservice0_.ProjectID as ProjectI8_254_0_, sdservice0_.ServiceDescription as ServiceD4_254_0_, sdservice0_.ServiceName as ServiceN5_254_0_, sdservice0_.ShortName as ShortNam6_254_0_, sdservice0_.Status as Status7_254_0_ from sd_service sdservice0_ where sdservice0_.ServiceID=?	2.06	1	150	5			0.00		
select userdetail0_.UserID as UserID1_333_0_, userdetail0_.tfauth_status as tfauth_s2_333_0_, userdetail0_.DeletionAllowed as Deletion3_333_0_, userdetail0_.DomainID as DomainID4_333_0_, userdetail0_.Guid as Guid5_333_0_, userdetail0_.isAvailable as isAvaila6_333_0_, userdetail0_.IsFirstLogIn as IsFirstL7_333_0_, userdetail0_.IsLoginAllowed as IsLoginA8_333_0_, userdetail0_.login_failed_attempt as login_fa9_333_0_, userdetail0_.NotifiedAlertCount as Notifie10_333_0_, userdetail0_.OUName as OUName11_333_0_, userdetail0_.Password as Passwor12_333_0_, userdetail0_.Server as Server13_333_0_, userdetail0_.SystemID as SystemI14_333_0_, userdetail0_.UserName as UserNam15_333_0_, userdetail0_.UserPreSyncStatus as UserPre16_333_0_, userdetail0_.UserStatus as UserSta17_333_0_, userdetail0_.whenChanged as whenCha18_333_0_ from userdetails userdetail0_ where userdetail0_.UserID=?	2.11	1	62	6			0.00		
SELECT pr.ProjectRoleID FROM sd_project_roles_details prd, sd_project_roles pr WHERE prd.ProjectRoleID = pr.ProjectRoleID AND pr.ProjectID=? AND prd.UserID=?	5.77	1	60,064	228			0.00		
select useradditi0_.Id as Id1_329_, useradditi0_.additionalFieldID as addition2_329_, useradditi0_.additionalFieldValue as addition3_329_, useradditi0_.userID as userID4_329_ from user_additionalfieldvalues useradditi0_ where useradditi0_.userID=?	10.51	1	60,081	172			0.00		
select escalation0_.slno as slno1_85_, escalation0_.EmailEsca_1 as EmailEsc2_85_, escalation0_.EmailEsca_2 as EmailEsc3_85_, escalation0_.EmailEsca_3 as EmailEsc4_85_, escalation0_.Esca_1 as Esca_5_85_, escalation0_.Esca1_BreachTime as Esca6_85_, escalation0_.Esca1_SendTime as Esca7_85_, escalation0_.Esca_2 as Esca_8_85_, escalation0_.Esca2_BreachTime as Esca9_85_, escalation0_.Esca2_SendTime as Esca10_85_, escalation0_.Esca_3 as Esca_11_85_, escalation0_.Esca3_BreachTime as Esca12_85_, escalation0_.Esca3_SendTime as Esca13_85_, escalation0_.Estimated_Esca1_BreachTime as Estimat14_85_, escalation0_.Estimated_Esca2_BreachTime as Estimat15_85_, escalation0_.Estimated_Esca3_BreachTime as Estimat16_85_, escalation0_.Estimated_GracePeriod_BreachTime as Estimat17_85_, escalation0_.Estimated_SLABreachTime as Estimat18_85_, escalation0_.IsActualResolutionTimeConsider as IsActua19_85_, escalation0_.IsEsca1_Breached as IsEsca20_85_, escalation0_.IsEsca2_Breached as IsEsca21_85_, escalation0_.IsEsca3_Breached as IsEsca22_85_, escalation0_.IsSLA_Breached as IsSLA_B23_85_, escalation0_.IsTicketActive as IsTicke24_85_, escalation0_.LastCalculatedTime as LastCal25_85_, escalation0_.Previous_Status as Previou26_85_, escalation0_.ProblemID as Problem27_85_, escalation0_.SiteID as SiteID28_85_, escalation0_.SLA_BreachTime as SLA_Bre29_85_, escalation0_.SlaID as SlaID30_85_, escalation0_.TicketGenStatus as TicketG31_85_, escalation0_.TotalTimeConsider as TotalTi32_85_ from escalation_lookup escalation0_ where escalation0_.ProblemID=?	3.85	1	157	7			0.00		

Monitoring JavaMelody on /SapphireIMS_PRODCIMSAPP1

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
select this_.ProblemId as ProblemI1_264_0_, this_.AlertID as AlertID2_264_0_, this_.AlternativeEmail as Alternat3_264_0_, this_.ApprovalManager as Approval4_264_0_, this_.AssetNumber as AssetNum5_264_0_, this_.Attachment as Attachme6_264_0_, this_.Category as Category7_264_0_, this_.CcMailId as CcMailId8_264_0_, this_.ContactNumber as ContactN9_264_0_, this_.ConversionType as Convers10_264_0_, this_.CreationTime as Creatio11_264_0_, this_.CSI as CSI12_264_0_, this_.CurrentStatus as Current13_264_0_, this_.DelegatedFrom_ApprovalManager as Delegat14_264_0_, this_.DelegatedFrom_Owner as Delegat15_264_0_, this_.DepartmentID as Departm16_264_0_, this_.DerivedField1 as Derived17_264_0_, this_.DerivedField2 as Derived18_264_0_, this_.DerivedField3 as Derived19_264_0_, this_.Enclosure as Enclosu20_264_0_, this_.ExpectedClosureTime as Expecte21_264_0_, this_.GroupID as GroupID22_264_0_, this_.ImpactID as ImpactI23_264_0_, this_.IncidentType as Inciden24_264_0_, this_.isLinked as isLinke25_264_0_, this_.IsRead as IsRead26_264_0_, this_.IsRead_UserID as IsRead_27_264_0_, this_.IsTransferred as IsTrans28_264_0_, this_.LastOperatedTime as LastOpe29_264_0_, this_.LevelOneStatus as LevelOn30_264_0_, this_.LevelTwoStatus as LevelTw31_264_0_, this_.LocationID as Locatio32_264_0_, this_.Owner as Owner33_264_0_, this_.ParentID as ParentI34_264_0_, this_.Platform as Platfor35_264_0_, this_.Priority as Priorit36_264_0_, this_.ProbDescription as ProbDes37_264_0_, this_.ProjectTransferComment as Project38_264_0_, this_.ProxySubmittedBy as ProxySu39_264_0_, this_.ReferenceID as Referen40_264_0_, this_.RepeatCall as RepeatC41_264_0_, this_.RequestID as Request42_264_0_, this_.REQUESTTYPE as REQUEST43_264_0_, this_.Resolution_CauseID as Resolut44_264_0_, this_.ResolutionComment as Resolut45_264_0_, this_.Resolution_Days as Resolut46_264_0_, this_.Resolution_Hours as Resolut47_264_0_, this_.Resolution_Minutes as Resolut48_264_0_, this_.ProjectID as Project57_264_0_, this_.ServiceID as Service58_264_0_, this_.Severity as Severit49_264_0_, this_.SLAViolationComment as SLAViol50_264_0_, this_.SubCategory as SubCate51_264_0_, this_.SubmittedBy as Submitt52_264_0_, this_.SubmittedThrough as Submitt53_264_0_, this_.Title as Title54_264_0_, this_.UrgencyID as Urgency55_264_0_, this_.version as version56_264_0_ from sd_servicereqmaster this_ where this_.ParentID=?	1.99	2	277	8			0.00		
select this_.ProblemId as ProblemI1_264_0_, this_.AlertID as AlertID2_264_0_, this_.AlternativeEmail as Alternat3_264_0_, this_.ApprovalManager as Approval4_264_0_, this_.AssetNumber as AssetNum5_264_0_, this_.Attachment as Attachme6_264_0_, this_.Category as Category7_264_0_, this_.CcMailId as CcMailId8_264_0_, this_.ContactNumber as ContactN9_264_0_, this_.ConversionType as Convers10_264_0_, this_.CreationTime as Creatio11_264_0_, this_.CSI as CSI12_264_0_, this_.CurrentStatus as Current13_264_0_, this_.DelegatedFrom_ApprovalManager as Delegat14_264_0_, this_.DelegatedFrom_Owner as Delegat15_264_0_, this_.DepartmentID as Departm16_264_0_, this_.DerivedField1 as Derived17_264_0_, this_.DerivedField2 as Derived18_264_0_, this_.DerivedField3 as Derived19_264_0_, this_.Enclosure as Enclosu20_264_0_, this_.ExpectedClosureTime as Expecte21_264_0_, this_.GroupID as GroupID22_264_0_, this_.ImpactID as ImpactI23_264_0_, this_.IncidentType as Inciden24_264_0_, this_.isLinked as isLinke25_264_0_, this_.IsRead as IsRead26_264_0_, this_.IsRead_UserID as IsRead_27_264_0_, this_.IsTransferred as IsTrans28_264_0_, this_.LastOperatedTime as LastOpe29_264_0_, this_.LevelOneStatus as LevelOn30_264_0_, this_.LevelTwoStatus as LevelTw31_264_0_, this_.LocationID as Locatio32_264_0_, this_.Owner as Owner33_264_0_, this_.ParentID as ParentI34_264_0_, this_.Platform as Platfor35_264_0_, this_.Priority as Priorit36_264_0_, this_.ProbDescription as ProbDes37_264_0_, this_.ProjectTransferComment as Project38_264_0_, this_.ProxySubmittedBy as ProxySu39_264_0_, this_.ReferenceID as Referen40_264_0_, this_.RepeatCall as RepeatC41_264_0_, this_.RequestID as Request42_264_0_, this_.REQUESTTYPE as REQUEST43_264_0_, this_.Resolution_CauseID as Resolut44_264_0_, this_.ResolutionComment as Resolut45_264_0_, this_.Resolution_Days as Resolut46_264_0_, this_.Resolution_Hours as Resolut47_264_0_, this_.Resolution_Minutes as Resolut48_264_0_, this_.ProjectID as Project57_264_0_, this_.ServiceID as Service58_264_0_, this_.Severity as Severit49_264_0_, this_.SLAViolationComment as SLAViol50_264_0_, this_.SubCategory as SubCate51_264_0_, this_.SubmittedBy as Submitt52_264_0_, this_.SubmittedThrough as Submitt53_264_0_, this_.Title as Title54_264_0_, this_.UrgencyID as Urgency55_264_0_, this_.version as version56_264_0_ from sd_servicereqmaster this_ where this_.isLinked=?	1.99	2	826	10			0.00		
select count(sdencldeta0_.EnclID) as col_0_0_ from sd_encldetails sdencldeta0_ where (sdencldeta0_.EnclName like ?) and sdencldeta0_.ProblemId=?	1.00	1	1,108	13			0.00		
update sd_readunreadrecords set isRead=1 where problemId=? and userId=?	1.00	64,841	7,247,265	634,682			1.00		
update sd_readunreadrecords set isRead=0 where problemId=? and userId<>?	0.99	0	85	4			0.00		
insert into ims_callableprocedures (CurrentStatus, ProcedureName, Retries) values (?, ?, ?)	1.98	0	33	2			0.00		
select distinct sdsmsnotif0_.ForState as col_0_0_ from sd_sms_notification_master sdsmsnotif0_ where sdsmsnotif0_.ForState=?	0.99	0	336	6			0.00		
insert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId, Update_UserID) values (?, ?, ?, ?, ?, ?, ?)	0.99	0	44	2			0.00		
update sd_servicereqmaster set AlertID=?, AlternativeEmail=?, ApprovalManager=?, AssetNumber=?, Attachment=?, Category=?, CcMailId=?, ContactNumber=?, ConversionType=?, CreationTime=?, CSI=?, CurrentStatus=?, DelegatedFrom_ApprovalManager=?, DelegatedFrom_Owner=?, DepartmentID=?, DerivedField1=?, DerivedField2=?, DerivedField3=?, Enclosure=?, ExpectedClosureTime=?, GroupID=?, ImpactID=?, IncidentType=?, isLinked=?, IsRead=?, IsRead_UserID=?, IsTransferred=?, LastOperatedTime=?, LevelOneStatus=?, LevelTwoStatus=?, LocationID=?, Owner=?, ParentID=?, Platform=?, Priority=?, ProbDescription=?, ProjectTransferComment=?, ProxySubmittedBy=?, ReferenceID=?, RepeatCall=?, RequestID=?, REQUESTTYPE=?, Resolution_CauseID=?, ResolutionComment=?, Resolution_Days=?, Resolution_Hours=?, Resolution_Minutes=?, ProjectID=?, ServiceID=?, Severity=?, SLAViolationComment=?, SubCategory=?, SubmittedBy=?, SubmittedThrough=?, Title=?, UrgencyID=?, version=? where ProblemId=?	0.99	4	548	164			0.79		
SELECT FullName FROM usermgmt_master where UserID=4	1.80	0	25	2			0.00		
select sdaddition0_.FIELDID as FIELDID1_180_0_, sdaddition0_.AssetColumn as AssetCol2_180_0_, sdaddition0_.ClientSideValidationScript as ClientSi3_180_0_, sdaddition0_.CustomValidationScript as CustomVa4_180_0_, sdaddition0_.DependentFieldPopulaterQuery as Dependen5_180_0_, sdaddition0_.FIELD_DISPLAYNAME as FIELD_DI6_180_0_, sdaddition0_.field_name as field_na7_180_0_, sdaddition0_.FIELD_STORAGE_TYPE as FIELD_ST8_180_0_, sdaddition0_.GridControlFieldID as GridCont9_180_0_, sdaddition0_.IsAssetField as IsAsset10_180_0_, sdaddition0_.IsMobileChangeVisibility as IsMobil11_180_0_, sdaddition0_.IsMobileListVisibility as IsMobil12_180_0_, sdaddition0_.IsMobileVisibility as IsMobil13_180_0_, sdaddition0_.MACROID as MACROID14_180_0_, sdaddition0_.ORDERBY as ORDERBY15_180_0_, sdaddition0_.ScriptProperties as ScriptP16_180_0_, sdaddition0_.ProjectID as Project19_180_0_, sdaddition0_.Status as Status17_180_0_, sdaddition0_.URL as URL18_180_0_ from sd_additionalparams sdaddition0_ where sdaddition0_.FIELDID=?	2.39	1	60,478	133			0.00		
update sd_servicereq_additionalparams set Data=?, DataId=?, InstanceID=?, ProblemID=?, ProjectID=?, FIELDID=? where ParamID=?	0.04	0	192	3			0.00		

Monitoring JavaMelody on /SapphireIMS_PRODCIMSAPP1

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=5) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.81	5	96	5			0.00		
select ClassName , Name from sd_pre_post_actions where ID=13	0.81	1	299	7			0.00		
SELECT PropertyFileName,ProjectID FROM sd_pre_post_actions where ID=13	0.81	0	276	5			0.00		
Select FIELD_DISPLAYNAME from sd_additionalparams where FIELDID=118	0.81	1	91	4			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =10 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=75) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.01	4	22	2			0.00		
select userdetail0_.UserID as UserID1_333_, userdetail0_.tfauth_status as tfauth_s2_333_, userdetail0_.DeletionAllowed as Deletion3_333_, userdetail0_.DomainID as DomainID4_333_, userdetail0_.Guid as Guid5_333_, userdetail0_.isAvailable as isAvaila6_333_, userdetail0_.IsFirstLogIn as IsFirstL7_333_, userdetail0_.IsLoginAllowed as IsLoginA8_333_, userdetail0_.login_failed_attempt as login_fa9_333_, userdetail0_.NotifiedAlertCount as Notifie10_333_, userdetail0_.OUName as OUName11_333_, userdetail0_.Password as Passwor12_333_, userdetail0_.Server as Server13_333_, userdetail0_.SystemID as SystemI14_333_, userdetail0_.UserName as UserNam15_333_, userdetail0_.UserPreSyncStatus as UserPre16_333_, userdetail0_.UserStatus as UserSta17_333_, userdetail0_.whenChanged as whenCha18_333_ from userdetails userdetail0_ where userdetail0_.UserName=?	0.07	1	292	11			0.00		
select sdreadunre0_.userId as col_0_0_ from sd_readunreadrecords sdreadunre0_ where sdreadunre0_.problemId=? and sdreadunre0_.userId=?	0.07	0	24	2			0.00		
insert into sd_readunreadrecords (isRead, ownerId, problemId, submittedBy, userId) values (?, ?, ?, ?, ?)	0.03	0	33	2			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=22) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.02	7	38	7			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=9) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.02	7	44	11			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=14) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.01	5	13	2			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sd1,sd_pre_post_actions p,sd_pre_post_actions_details sd2,sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID and sd1.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID= p.id and r.CategoryID =1 and r.CategoryValue =10 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=48) and sdr.CategoryID =4 and (sdr.CategoryValue=0 OR sdr.CategoryValue in (20,11,10)) and su.CategoryID =2 and (su.CategoryValue=0 OR su.CategoryValue=69) and sd1.CategoryID =6 and (sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryID =7 and (sd2.CategoryValue=0 OR sd2.CategoryValue=0) and sd3.CategoryID =8 and (sd3.CategoryValue=0 OR sd3.CategoryValue=0) and p.Pre_Post_Action=2 and p.ProjectID=1 order by p.LaunchingOrder	0.02	5	24	3			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)