
Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
♣/ticket/stateChange POST	ioquoot	25,729	7,211,096	293,215	68	6,240	1.26	63	25,528
select sdservicer0ProblemId as ProblemI1_264_0_, sdservicer0AlertID as AlertID2_264_0_, sdservicer0_AlternativeEmail as Alternat3_264_0_, sdservicer0_ApprovalManager as Approval4_264_0_, sdservicer0_AssetNumber as AssetNum5_264_0_, sdservicer0_Attachment as Attachme6_264_0_, sdservicer0_Category as Category7_264_0_, sdservicer0_CCMailId as CCMailId8_264_0_, sdservicer0_ContactNumber as ContactN9_264_0_, sdservicer0_ConversionType as Convers10_264_0_, sdservicer0_ConversionType as Convers10_264_0_, sdservicer0_CurrentStatus as Current13_264_0_, sdservicer0_CSI as CSI12_264_0_, sdservicer0_CurrentStatus as Current13_264_0_, sdservicer0_DelegatedFrom_ApprovalManager as Delegat14_264_0_, sdservicer0_DerivedField2 as Departm16_264_0_, sdservicer0_DerivedField2 as Derived18_264_0_, sdservicer0_DerivedField2 as Derived18_264_0_, sdservicer0_DerivedField2 as Derived18_264_0_, sdservicer0_DerivedField3 as Derived19_264_0_, sdservicer0_ErivedField2 as Derived18_264_0_, sdservicer0_ExpectedClosureTime as Expecte21_264_0_, sdservicer0_GroupID as GroupID22_264_0_, sdservicer0_ImpactID as ImpactI23_264_0_, sdservicer0_IncidentType as Inciden24_264_0_, sdservicer0_IsRead_UserID as IsRead_254_0_, sdservicer0_IsRead_as IsTrans28_264_0_, sdservicer0_LsevITwo5latus as LeveIOn30_264_0_, sdservicer0_LeveITwo5latus as LeveIOn30_264_0_, sdservicer0_LeveITwo5latus as LeveITw31_264_0_, sdservicer0_LeveIOneStatus as LeveIOn30_264_0_, sdservicer0_Powers_Powers_Powers_Powers_Powers_ParentID as ParentI34_264_0_, sdservicer0_Powers_Powers_Powers_ParentID as ParentI34_264_0_, sdservicer0_Powers_Powers_Powers_ParentID as ParentI34_264_0_, sdservicer0_Powers_Powers_Powers_ParentID as Referend0_264_0_, sdservicer0_RepeatCall as RepeatC41_264_0_, sdservicer0_RepeatCall as RepeatC41_264_0_, sdservicer0_Resolution_Hours as Resolut45_264_0_, sdservicer0_Resolution_Days as Resolut48_264_0_, sdservicer0_Resolution_Hours as Resolut45_264_0_, sdservicer0_Resolution_Days as Resolut48_264_0_, sdservicer0_Resolution_Hours as Resolut45_264_0_, sdservic	1.89	σ	198	10			0.00		
where sdservicer0_ProblemId=? select sdservicer0_ParamID as ParamID1_260_, sdservicer0_Data as Data2_260_, sdservicer0_Datald as DataId3_260_, sdservicer0_InstanceID as Instance4_260_, sdservicer0_ProblemID as ProblemI5_260_, sdservicer0_ProjectID as ProjectI6_260_, sdservicer0_FIELDID as FIELDID7_260_ from sd_servicere_additionalparams sdservicer0_ where sdservicer0_ProblemID=?	4.37	1	156	8			0.00		
select sdprojectm0_ProjectlD as Projectl1_227_0_, sdprojectm0_color as color2_227_0_, sdprojectm0_DisplayOrder as DisplayO3_227_0_, sdprojectm0_image as image4_227_0_, sdprojectm0_ProjectDescription as ProjectD5_227_0_, sdprojectm0_ProjectName as ProjectN6_227_0_, sdprojectm0_Status as Status8_227_0_, sdprojectm0_VERSION as VERSION9_227_0_ from sd_project_master sdprojectm0_where sdprojectm0_ProjectD=?	1.17	1	1,375	13			0.00		
select sdservice0_ServicelD as Servicel1_254_0_, sdservice0_DefaultImageName as DefaultI2_254_0_, sdservice0_IslMobileVisibility as IsMobile3_254_0_, sdservice0_ProjectID as ProjectI8_254_0_, sdservice0_ServiceDescription as ServiceD4_254_0_, sdservice0_ServiceName as ServiceN5_254_0_, sdservice0_ShortName as ShortNam6_254_0_, sdservice0_Status as Status7_254_0_ from sd_service sdservice0_where sdservice0_ServiceID=?	1.98	1	139	5			0.00		
select userdetailoUserlD as UserlD1_333_0_, userdetailotfauth_status as tfauth_s2_333_0_, userdetailoDeletionAllowed as Deletion3_333_0_, userdetailoDomainlD as DomainlD4_333_0_, userdetailoGuid as Guid5_333_0_, userdetail0isAvailable as isAvaila6_333_0_, userdetail0lsFirstLogln as IsFirstL7_333_0_, userdetail0IsLoginAllowed as IsLoginA8_333_0_, userdetail0_iogin_failed_attempt as login_fa9_333_0_, userdetail0_NotifiedAlertCount as Notifie10_333_0_, userdetail0OUName as OUName11_333_0_, userdetail0_Password as Passwor12_333_0_, userdetail0Server as Server13_333_0_, userdetail0_SystemID as SystemI14_333_0_, userdetail0_UserName as UserNam15_333_0_, userdetail0_UserPreSyncStatus as UserPre16_333_0_, userdetail0_UserStatus as UserPa17_333_0_, userdetail0_whenChanged as whenCha18_333_0_from userdetail0_userdetail0_where userdetail0_VserID=?	2.18	1	141	6			0.00		
select usermgmtma0sno as sno1_336_, usermgmtma0AccessID as AccessID2_336_, usermgmtma0AccountExpireDate as AccountE3_336_, usermgmtma0BadLoginCount as BadLogin4_336_, usermgmtma0BaseDN as BaseDN5_336_, usermgmtma0Cell_No as Cell_No6_336_, usermgmtma0Cell_No as Cell_No6_336_, usermgmtma0Cell_No as CollookuB_336_, usermgmtma0EmployeeID as Employe11_336_, usermgmtma0EmployeeID as Employe11_336_, usermgmtma0FullName as FullNam12_336_, usermgmtma0GOC as GOC13_336_, usermgmtma0ImmediateManagerID as Immedia14_336_, usermgmtma0IsAccountLocked as IsAccou15_336_, usermgmtma0IsAmaager as IsManager as Is	9.00	1	282	7			0.00		
SELECT pr.ProjectRoleID FROM sd_project_roles_details prd, sd_project_roles pr WHERE prd.ProjectRoleID = pr.ProjectRoleID AND pr.ProjectID=? AND prd.UserID=?	5.07	1	97	4			0.00		
Select useradditio_Id as Id1_329_, useradditio_additionalFieldID as addition2_329_, useradditio_additionalFieldValue as addition3_329_, useradditio_userID as userID4_329_ from user_additionalFieldvalues useradditio_ where useradditio_userID=?	9.00	1	145	5			0.00		

Section Company Comp	Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean % of sys allocated Kb error	em Mean hits sql	Mean time sql (ms)
In Alberto 294 D. 186. Approvision pair in Approvisit, 294 D. 196. Association 196. Application 204 D. 196. Compared to the Association 204 D. 196. Compared	escalation0_EmailEsca_2 as EmailEsc3_85_, escalation0_EmailEsca_3 as EmailEsc4_85_, escalation0_Esca_1 as Esca_5_85_, escalation0_Esca_1 as Esca_5_85_, escalation0_Esca_2 as Esca_85_, escalation0_Esca_2 as Esca_85_, escalation0_Esca_2 as Esca_85_, escalation0_Esca_2 BreachTime as Esca_85_, escalation0_Esca_3 as Esca_11_85_, escalation0_Esca_3 BreachTime as Esca_12_85_, escalation0_Esca_3 SendTime as Esca_13_85_, escalation0_Estimated_Esca_1_BreachTime as Estimat14_85_, escalation0_Estimated_Esca_2 BreachTime as Estimat15_85_, escalation0_Estimated_Esca_3_BreachTime as Estimat15_85_, escalation0_Estimated_Esca_3_BreachTime as Estimat17_85_, escalation0_Estimated_GracePeriod_BreachTime as Estimat17_85_, escalation0_Estimated_Seca_4_85_, escalation0_Iss_125_2 Breached as Is_125_2 Breached Breached Breached Breached Brea		1	940	11		C	00	
as Alternal 2.64 0, this L. Approvaltionage as Approvalt 2.64 0, this C. AssetNum 2.64 0, this C	select this_ProblemId as ProblemI1_264_0_, this_AlertID as AlertID2_264_0_, this_AlternativeEmail as Alterna13_264_0_, this_ApprovalManager as Approval4_264_0_, this_AssetNumber as AssetNum5_264_0_, this_Attachment as Attachme6_264_0_, this_Category as Category 264_0_, this_Challid as CcMailldas	1.99	1	99	6		C	00	
(sdencideta0_EnciName like ?) and sdencideta0_ProblemId=? Update sd_readunreadrecords set isRead=1 where problemId=? and userId=? Update sd_readunreadrecords set isRead=0 where problemId=? and userId=? Update sd_readunreadrecords set isRead=0 where problemId=? and userId Update sd_readunreadrecords set isRead=0 where problemId=? and userId<? Update sd_readunreadrecords set isRead=1 where problemId=? and userId<? Update sd_readunreadrecords set isRead=1 where problemId=? Update sd_readunreadrecords set isRead=1 update shows a set is Read=1 update shows a set is Update shows</td <td>as Alternat3_264_0_, this_ApprovalManager as Approval4_264_0_, this_AssetNumber as AssetNum5_264_0_, this_Attachment as Attachme6_264_0_, this_Category as Category 7_264_0_, this_ComailId as CcMailId as CcMailId 8_264_0_, this_ContactNumber as ContactN9_264_0_, this_ConversionType as Convers10_264_0_, this_CreationTime as Creatio11_264_0_, this_CSI as CSI12_264_0_, this_CurrentStatus as Current13_264_0_, this_DelgatedFrom_ApprovalManager as Delegat14_264_0_, this_DelegatedFrom_Owner as Delegat15_264_0_, this_DepartmentID as Departm16_264_0_, this_DerivedField1 as Derived17_264_0_, this_DerivedField2 as Derived18_264_0_, this_DerivedField3 as Derived19_264_0_, this_Enclosure as Enclosu20_264_0_, this_ExpectedClosureTime as Expecte21_264_0_, this_GroupID as GroupID22_264_0_, this_ImpactID as ImpactI23_264_0_, this_IncidentType as Inciden24_264_0_, this_isLinked as isLinke25_264_0_, this_IsRead as IsRrans28_264_0_, this_LexeID0neStatus as LeveIOn30_264_0_, this_LexeID0neStatus as LeveIOn30_264_0_, this_LexeITwoStatus as LeveITw31_264_0_, this_LexeIOneStatus as LeveIOn30_264_0_, this_Priority as Priorit36_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ProjectTransferComment as Project38_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ProjectTransferComment as Project38_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ReferenceID as Referen40_264_0_, this_RepeatCall as RepeatC41_264_0_, this_Regolution_CauseID as Resolut42_264_0_, this_Resolution_Minutes as Resolut42_264_0_, this_Resolution_Minutes as Resolut48_264_0_, this_Resolution_Gromment as SLAViol50_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_S</td> <td>1.99</td> <td>1</td> <td>281</td> <td>7</td> <td></td> <td>C</td> <td>00</td> <td></td>	as Alternat3_264_0_, this_ApprovalManager as Approval4_264_0_, this_AssetNumber as AssetNum5_264_0_, this_Attachment as Attachme6_264_0_, this_Category as Category 7_264_0_, this_ComailId as CcMailId as CcMailId 8_264_0_, this_ContactNumber as ContactN9_264_0_, this_ConversionType as Convers10_264_0_, this_CreationTime as Creatio11_264_0_, this_CSI as CSI12_264_0_, this_CurrentStatus as Current13_264_0_, this_DelgatedFrom_ApprovalManager as Delegat14_264_0_, this_DelegatedFrom_Owner as Delegat15_264_0_, this_DepartmentID as Departm16_264_0_, this_DerivedField1 as Derived17_264_0_, this_DerivedField2 as Derived18_264_0_, this_DerivedField3 as Derived19_264_0_, this_Enclosure as Enclosu20_264_0_, this_ExpectedClosureTime as Expecte21_264_0_, this_GroupID as GroupID22_264_0_, this_ImpactID as ImpactI23_264_0_, this_IncidentType as Inciden24_264_0_, this_isLinked as isLinke25_264_0_, this_IsRead as IsRrans28_264_0_, this_LexeID0neStatus as LeveIOn30_264_0_, this_LexeID0neStatus as LeveIOn30_264_0_, this_LexeITwoStatus as LeveITw31_264_0_, this_LexeIOneStatus as LeveIOn30_264_0_, this_Priority as Priorit36_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ProjectTransferComment as Project38_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ProjectTransferComment as Project38_264_0_, this_ProxySubmittedBy as ProxySu39_264_0_, this_ReferenceID as Referen40_264_0_, this_RepeatCall as RepeatC41_264_0_, this_Regolution_CauseID as Resolut42_264_0_, this_Resolution_Minutes as Resolut42_264_0_, this_Resolution_Minutes as Resolut48_264_0_, this_Resolution_Gromment as SLAViol50_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_Submitte3_264_0_, this_S	1.99	1	281	7		C	00	
Update sd_readunreadrecords set isRead=1 where problemId=? and userId=? Update sd_readunreadrecords set isRead=0 where problemId=? and userId Update sd_readunreadrecords set isRead=0 where problemId=? and userId<? Update sd_readunreadrecords set isRead=1 where problemId=? Update sd_readunreadrecords set isRead=0 vhere problemId=? Update sd_readunreadrecords set is Readunread value value</td <td>select count(sdencldeta0EncIID) as col_0_0_ from sd_encIdetails sdencIdeta0_ where</td> <td>1.00</td> <td>2</td> <td>815</td> <td>17</td> <td></td> <td>C</td> <td>00</td> <td></td>	select count(sdencldeta0EncIID) as col_0_0_ from sd_encIdetails sdencIdeta0_ where	1.00	2	815	17		C	00	
Sinsert into sd_encidetails (Access, EnciComment, EnciName, EnciSubmittedBy, EnciSubmittedTime, EnciText, ProblemId) values (?, ?, ?, ?, ?, ?, ?) Sinsert into sd_servicerequest_history (ActionPerformedBy, ChildOf, CurrentTime, FIELDID, NatureOfChange, NewStateID, NewValue, OldStateID, OldValue, Parameter, ProblemId, userid) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	update sd_readunreadrecords set isRead=1 where problemId=? and userId=?								
Sinsert into sd_servicerequest_history (ActionPerformedBy, ChildOf, CurrentTime, FIELDID, NatureOfChange, NewStateID, NewValue, OldStateID, OldValue, Parameter, ProblemId, userid) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?) Insert into ims_callableprocedures (CurrentStatus, ProcedureName, Retries) values (?, ?, ?) Select distinct sdsmsnotif0_ForState as col_0_0_from sd_sms_notification_master sdsmsnotif0_ where sdsmsnotif0_ForState=? Sinsert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId, 0.04 1.16 1 916 25 0.04 0.09 0 50 6 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	insert into sd_encidetails (Access, EnciComment, EnciName, EnciSubmittedBy, EnciSubmittedTime,								
insert into ims_callableprocedures (CurrentStatus, ProcedureName, Retries) values (?, ?, ?) select distinct sdsmsnotif0_ForState as col_0_0_ from sd_sms_notification_master sdsmsnotif0_ where sdsmsnotif0_ForState=? insert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId, 0.99 1 86 3 0.00	sinsert into sd_servicerequest_history (ActionPerformedBy, ChildOf, CurrentTime, FIELDID, NatureOfChange, NewStateID, NewValue, OldStateID, OldValue, Parameter, ProblemId, userid) values (?,	1.16	1	916	25		C	04	
Select distinct sdsmsnotif0_ForState as col_0_0_ from sd_sms_notification_master sdsmsnotif0_ 0.99 0 37 2 0.00 where sdsmsnotif0_ForState=? Sinsert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId, 0.99 1 86 3 0.00		1.97	0	50	6		C	00	
insert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId, 0.99 1 86 3 0.00	select distinct sdsmsnotif0ForState as col_0_0_ from sd_sms_notification_master sdsmsnotif0_								
Update_UserID) values (?, ?, ?, ?, ?, ?, ?)	insert into automailer (New_State, Old_State, ProblemID, Retries_Count, State, templateId,	0.99	1	86	3		C	00	

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
update sd_servicereqmaster set AlertID=?, AlternativeEmail=?, ApprovalManager=?, AssetNumber=?, Attachment=?, Category=?, CcMailId=?, ContactNumber=?, ConversionType=?, CreationTime=?, CSI=?, CurrentStatus=?, DelegatedFrom_ApprovalManager=?, DelegatedFrom_Owner=?, DepartmentID=?, DerivedField1=?, DerivedField2=?, Enclosure=?, ExpectedClosureTime=?, GroupID=?, ImpactID=?, IncidentType=?, isLinked=?, IsRead=?, IsRead_UserID=?, IsTransferred=?, LastOperatedTime=?, LevelOneStatus=?, LevelTwoStatus=?, LocationID=?, Owner=?, ParentID=?, Platform=?, Priority=?, ProbDescription=?, ProjectTransferComment=?, ProxySubmittedBy=?, ReferenceID=?, RepeatCall=?, RequestID=?, REQUESTTYPE=?, Resolution_CauseID=?, ResolutionComment=?, Resolution_Minutes=?, ProjectID=?, ServiceID=?, Severity=?, SLAViolationComment=?, SubCategory=?, SubmittedBy=?, SubmittedThrough=?, Title=?, UrgencyID=?, version=? where ProblemId=?	0.99	6	60,062	533			0.02		
SELECT FullName FROM usermgmt_master where UserID=4	1.20	0	240	4			0.00		
Select distinct(rm.ProjectRoleID) from sd_project_roles rm,sd_project_roles_details rd where	0.96	0	2	0			0.00		
rd.UserID=4 and rd.ProjectRoleID = rm.ProjectRoleID and rm.ProjectID=1 SELECT ProjectID FROM sd_service where ServiceID=11	0.60	1	81	6			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st_sd_pre_post_actions_details st_sd_pre_post_actions_details st_sd_pre_post_actions_details sd_sd_pre_post_actions_details sd_sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = sd.MasterID and sdr.MasterID = sd.MasterID and sdr.MasterID = sd2.MasterID and sdr.MasterID = sd3.MasterID and r.MasterID = sd3.MasterID and r.MasterID = p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryValue =0 OR sdr.CategoryValue=0 OR st.CategoryValue=22) and sdr.CategoryValue=0 Pa + and (sdr.CategoryValue=0 OR sdr.CategoryValue=6) and sd1.CategoryValue=0 OR sd1.CategoryValue=6) and sd1.CategoryValue=0 OR sd1.CategoryValue=0) and sd2.CategoryValue=0 OR sd1.CategoryValue=0) and sd3.CategoryValue=0 OR sd2.CategoryValue=0 OR sd3.CategoryValue=0 OR sd3.CategoryV	0.09	6	60	7			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details st, sd_pre_post_actions_details sd, sd_pre_post_actions_details sd, sd, pre_post_actions_details sd, sd, pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and sd.MasterID = su.MasterID and sdr.MasterID = sd1.MasterID = sd2.MasterID = sd2.MasterID and sd2.MasterID = sd3.MasterID and r.MasterID = p.id and r.CategoryID =1 and r.CategoryValue =11 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=0) and sdr.CategoryValue=0 OR sdr.CategoryValue=0 OR sdr.CategoryValue=0 OR sdr.CategoryValue=6) and sd2.CategoryValue=6) and sd3.CategoryValue=6) and sd3.CategoryValue=0 OR sd3	0.08	6	21	4			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st_sd_pre_post_actions_details st_sd_pre_post_actions_details st_sd_pre_post_actions_details sd_sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID = st.MasterID and st.MasterID = sd.MasterID and sdr.MasterID = sd.MasterID and sdr.MasterID = sd3.MasterID and rd.MasterID = sd3.MasterID and rd.MasterID = sd3.MasterID and rd.MasterID = sd3.MasterID and rd.MasterID = sd3.MasterID and rd.CategoryID = 1 and r.CategoryValue = 11 and st.CategoryID = 3 and (st.CategoryValue=0 OR st.CategoryValue=10 And sdr.CategoryValue=0 OR sd7.CategoryValue=0 OR sd7.CategoryValue=	0.06	5	105	7			0.00		
select settingValue from configsettings where settingkey = 'ATTACHMENTSPATH'	0.00	1	21	2			0.00		
Select SettingValue from sd_configsettings where SettingKEY=? and ProjectID=? and (ServiceID=? or ServiceID=0)	0.00	1	267	3			0.00		
select sdservicep0DetailsID as DetailsI1_256_, sdservicep0ParameterValue as Paramete2_256_, sdservicep0ParameterID as Paramete4_256_, sdservicep0ServiceID as Service3_256_ from sd_service_parameters_details sdservicep0_ where sdservicep0ServiceID=? and sdservicep0ParameterID=1 and sdservicep0ParameterValue=?	0.01	1	38	2			0.00		
select sdserviced0ServiceDetailsID as ServiceD1_255_, sdserviced0ParamValue as ParamVal2_255_, sdserviced0ParamID as ParamID3_255_, sdserviced0ServiceID as Servicel4_255_ from sd_service_details_sdserviced0_ where sdserviced0ServiceID=?	0.00	1	1	2			0.00		
select sdservicep0_DetailsID as DetailsI1_256_, sdservicep0_ParameterValue as Paramete2_256_, sdservicep0_ParameterID as Paramete4_256_, sdservicep0_ServiceID as ServiceI3_256_from sd service parameters details sdservicep0 where sdservicep0 .ServiceID=?	0.00	1	2	5			0.00		
select sdservicec0_Sno as Sno1_259_, sdservicec0'Availability of services' as Availabi2_259_, sdservicec0'Currency Format' as Currency4_259_, sdservicec0'Currency Format' as Currency4_259_, sdservicec0'Out of scope' as Out5_259_, sdservicec0Serviceld as Servicel6_259_, sdservicec0'Service scope' as Service7_259_, sdservicec0'Service Status' as Service8_259_, sdservicec0'Service Target' as Service9_259_ from sd_servicecatalogue_details sdservicec0_ where sdservicec0Serviceld=?	0.00	1	1	2			0.00		
select sdservicec0_Sno as Sno1_258_, sdservicec0_Categoryld as Category2_258_, sdservicec0_Charge as Charge3_258_, sdservicec0_Duration as Duration4_258_, sdservicec0_Servicec0_Serviceld as Servicel5_258_, sdservicec0_SubCategoryld as SubCateg6_258_ from sd_servicecatalogue_categorydetails sdservicec0_ where sdservicec0_Serviceld=?	0.00	1	2	4			0.00		
select sdmultiapp0_AppRuleID as AppRuleI1_215_, sdmultiapp0_AppModuleType as AppModul2_215_, sdmultiapp0_AppType as AppType3_215_, sdmultiapp0_isEditable as isEditab4_215_, sdmultiapp0_MinimumApprovals as MinimumA5_215_, sdmultiapp0_NoOfApp as NoOfApp6_215_, sdmultiapp0_StateID as StateID7_215_ from sd_multiapproval_master sdmultiapp0_ where sdmultiapp0_StateID=?	0.03	0	1	2			0.00		
select sduipdetai0DetailsID as DetailsI1_287_, sduipdetai0parameterID as paramete2_287_, sduipdetai0parameterValue as paramete3_287_, sduipdetai0ID as ID4_287_ from sd_uip_details sduipdetai0_ where sduipdetai0ID=?	0.00	1	14	2			0.00		
select sdpriority0_priorityMetricsId as priority1_225_, sdpriority0_impactID as impactID2_225_, sdpriority0_priorityID as priority3_225_, sdpriority0_serviceID as serviceI4_225_, sdpriority0_urgencyID as urgencyI5_225_ from sd_prioritymetrics sdpriority0_where sdpriority0_serviceID=?	0.00	1	1	1			0.00		

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
Select macromaste0MACROID as MACROID1_140_0_, macromaste0IsCalendarEventColumn as IsCalend2_140_0_, macromaste0IS_DELETION_ALLOWED as IS_DELET3_140_0_, macromaste0ISInbuilt as ISInbuil4_140_0_, macromaste0MACRO_DATASOURCE_TYPE as MACRO_DA5_140_0_, macromaste0MACRO_DE6_140_0_, macromaste0MACRO_DESC as MACRO_DE7_140_0_, macromaste0MACRO_HTML_TYPE as MACRO_HTM_140_0_, macromaste0MACRO_MACRO_MACRO_NAME as MACRO_NA9_140_0_, macromaste0MACRO_QUERY as MACRO_Q10_140_0_ from macromaste0_whcro_duery as MACRO_Q10_140_0_ from macromaste0_whcro_duery macromaste0_whcro_	0.01	1	10	1			0.00		
select macrodetai0MACROID as MACROID4_140_0_, macrodetai0SLNO as SLNO1_137_0_, macrodetai0SLNO as SLNO1_137_1_, macrodetai0MACROLINK as MACROLIN2_137_1_, macrodetai0MACROID as MACROID4_137_1_, macrodetai0MACROVALUE as MACROVAL3_137_1_ from macrodetails macrodetai0_ where macrodetai0MACROID=?	0.01	1	13	1			0.00		
select macrodetai0Macrold as Macrold7_140_0, macrodetai0ID as ID1_139_0, macrodetai0ID as ID1_139_1, macrodetai0ColumnMacrold as ColumnMa2_139_1, macrodetai0ColumnName as ColumnNa3_139_1, macrodetai0ColumnOrder as ColumnOrd_139_1, macrodetai0ColumnType as ColumnTy5_139_1, macrodetai0ColumnWidth as ColumnWi6_139_1, macrodetai0Macrold as Macrold7_139_1_from macrodetails_griddata macrodetai0_where macrodetai0_Macrold=?	0.01	1	5	4			0.00		
select macrodetai0ID as ID1_138_, macrodetai0ColumnMacrold as ColumnMa2_138_, macrodetai0ColumnName as ColumnNa3_138_, macrodetai0ColumnOrder as ColumnOr4_138_, macrodetai0ColumnType as ColumnTy5_138_, macrodetai0ColumnWidth as ColumnWi6_138_, macrodetai0Macrold as Macrold7_138_ from macrodetails_calendarevent_griddata macrodetai0_ where macrodetai0Macrold=?	0.01	1	2	5			0.00		
select sdaddition0ID as ID1_179_, sdaddition0AccessToRole as AccessTo2_179_, sdaddition0FieldID as FieldID3_179_, sdaddition0LoadInChild as LoadInCh4_179_, sdaddition0ProjectID as ProjectI5_179_ from sd_additionalfields_permissions sdaddition0_ where sdaddition0FieldID=?	0.05	0	41	2			0.00		
select sdworkgrou0WorkGroupID as WorkGrou4_298_0_, sdworkgrou0WorkGroupDetailsID as WorkGrou1_297_0_, sdworkgrou0WorkGroupDetailsID as WorkGrou1_297_1_, sdworkgrou0WorkGroupID as WorkGrou4_297_1_, sdworkgrou0WorkGroupType as WorkGrou2_297_1_, sdworkgrou0WorkGroupValue as WorkGrou3_297_1_ from sd_workgroupdetails sdworkgrou0_where sdworkgrou0WorkGroupID=?	0.16	0	1	2			0.00		
select sdprojectr0_ProjectRoleID as ProjectR3_229_0_, sdprojectr0_RoleDetailsID as RoleDeta1_231_0_, sdprojectr0_RoleDetailsID as RoleDeta1_231_1_, sdprojectr0_ProjectRoleID as ProjectR3_231_1_, sdprojectr0_UserID as UserID2_231_1_ from sd_project_roles_details sdprojectr0_ where sdprojectr0_ProjectRoleID=?	0.01	1	30	4			0.00		
select sdprojectr0_ProjectRoleID as ProjectR3_229_0_, sdprojectr0_AccessID as AccessID1_230_0_, sdprojectr0_AccessID as AccessID1_230_1_, sdprojectr0_AccessValue as AccessVa2_230_1_, sdprojectr0_ProjectRoleID as ProjectR3_230_1_ from sd_project_roles_access sdprojectr0_where sdprojectr0_ProjectRoleID=?	0.01	0	1	0			0.00		
select sdstatecat0StateID as StateID4_281_0_, sdstatecat0DetailsID as DetailsI1_277_0_, sdstatecat0DetailsID as DetailsI1_277_1_, sdstatecat0StateID as StateID4_277_1_, sdstatecat0StateID as StateID4_277_1_, sdstatecat0StateCategoryID as StateCat3_277_1_ from sd_statecategory_details sdstatecat0_ where sdstatecat0StateID=?	0.03	1	1	4			0.00		
select sdstatesfi0StateID as StateID6_281_0_, sdstatesfi0InputId as InputId1_279_0_, sdstatesfi0InputId as InputId1_279_1_, sdstatesfi0DeletionAllowed as Deletion2_279_1_, sdstatesfi0HelpText as HelpText3_279_1_, sdstatesfi0Input as Input4_279_1_, sdstatesfi0StateID as StateID6_279_1_, sdstatesfi0TypeOfInput as TypeOfIn5_279_1_ from sd_states_fixedfields sdstatesfi0_where sdstatesfi0StateID=?	0.03	1	1	3			0.00		
select sdstatesfi0StateInputId as StateInp6_279_0_, sdstatesfi0StateLookupId as StateLoo1_280_0_, sdstatesfi0StateLookupId as StateLoo1_280_1_, sdstatesfi0DisplayName as DisplayN2_280_1_, sdstatesfi0isMandatory as isMandat3_280_1_, sdstatesfi0isVisibIe as isVisibI4_280_1_, sdstatesfi0Parameter as Paramete5_280_1_, sdstatesfi0StateInputId as StateInp6_280_1_ from sd_states_fixedfields_permissions_sdstatesfi0_where_sdstatesfi0_StateInputId=?	0.19	1	1	3			0.00		
select sdworkflow0StateMovementID as StateMov4_296_0_, sdworkflow0SdWorkFlowDetailId as SdWorkFl1_295_0_, sdworkflow0SdWorkFlowDetailId as SdWorkFl1_295_1_, sdworkflow0StateMovementID as StateMov4_295_1_, sdworkflow0WORKFLOW_CATEGORYID as WORKFLOW2_295_1_, sdworkflow0WORKFLOW3_295_1_ from sd_workflow0etail sdworkflow0_ where sdworkflow0StateMovementID=?	0.05	1	1	3			0.00		
select additional0FIELDID as FIELDID4_180_0_, additional0id as id1_182_0_, additional0id as id1_182_1_, additional0FIELDID as FIELDID4_182_1_, additional0CONTROLFLOW_CATEGORY_VALUE as CONTROLF2_182_1_, additional0CONTROLFLOW_CATEGORY_UALUE as CONTROLF3_182_1_ from sd_additional0_params_details additional0_where additional0FIELDID=?	0.05	1	50	3			0.00		
select additional0_FIELDID as FIELDID5_180_0_, additional0id as id1_181_0_, additional0id as id1_181_1_, additional0id as id1_181_1_, additional0AccessID as AccessID2_181_1_, additional0AccessPermission as AccessPe3_181_1_, additional0FIELDID as FIELDID5_181_1_, additional0FieldAccessCategory as FieldAcc4_181_1_ from sd_additionalparams_access_details additional0_ where additional0FIELDID=?	0.05	0	1	2			0.00		
select sdnotifica0TemplateID as Template5_218_0_, sdnotifica0TemplateDetailsID as Template1_219_0_, sdnotifica0TemplateDetailsID as Template1_219_1_, sdnotifica0DisplayOrder as DisplayO2_219_1_, sdnotifica0FieldType as FieldTyp3_219_1_, sdnotifica0FieldValue as FieldVal4_219_1_, sdnotifica0TemplateID as Template5_219_1_ from sd_notification_template_details sdnotifica0_ where sdnotifica0TemplateID=?	0.01	1	1	1			0.00		
select sdnotifica0NotificationID as Notifica4_217_0_, sdnotifica0DetailsID as DetailsI1_216_0_, sdnotifica0DetailsID as DetailsI1_216_1_, sdnotifica0ParameterType as Paramete2_216_1_, sdnotifica0ParameterValue as Paramete3_216_1_, sdnotifica0NotificationID as Notifica4_216_1_ from sd_notification_details sdnotifica0_ where sdnotifica0NotificationID=?	0.00	1	9	2			0.00		
select sdpreposta0MasterID as MasterID4_223_0_, sdpreposta0ID as ID1_224_0_, sdpreposta0ID as ID1_224_1_, sdpreposta0CategoryID as Category2_224_1_, sdpreposta0CategoryValue as Category3_224_1_, sdpreposta0MasterID as MasterID4_224_1_ from sd_pre_post_actions_details sdpreposta0_ where sdpreposta0MasterID=?	0.00	0	1	0			0.00		
select sdsearchpr0_ProfileID as ProfileI4_253_0_, sdsearchpr0_ProfileDetailsID as ProfileD1_252_0_, sdsearchpr0_ProfileDetailsID as ProfileD1_252_1_, sdsearchpr0_ProfileDetailsID as ProfileD1_252_1_, sdsearchpr0_ProfileID as Paramete2_252_1_, sdsearchpr0_ProfileID as ProfileI4_252_1_from sd_searchprofiles_details sdsearchpr0_where sdsearchpr0_ProfileID=?	0.01	1	40	2			0.00		

Request	Hits by parent	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu	Mean allocated Kb	% of system	Mean hits	Mean time sql (ms)
2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	request		()					54.	5q. (5)
select paprocessO_id as id1_177_0_, rpaprocessO_active as active2_177_0_, rpaprocessO_description as descript3_177_0_, rpaprocessO_external_ref_id as external4_177_0_, rpaprocessO_process0_name as name5_177_0_, rpaprocess0_process as process6_177_0_, rpaprocess0_processId as processId as pr	0.01	1	1	2			0.00		
select events0rpa_process_id as rpa_proc8_177_0_, events0id as id1_176_0_, events0id as id1_176_1_, events0action_type as action_t2_176_1_, events0asynchronous as asynchro3_176_1_, events0description as descript4_176_1_, events0_event_type as event_ty5_176_1_, events0_project_id as project_6_176_1_, events0_project_id as project_6_176_1_, events0_state_ids as state_id7_176_1_from rpa_event events0_where events0_rpa_process_id=?	0.01	0	1	2			0.00		
SELECT ProjectID FROM sd_service where ServiceID=10	0.39	0	10	0			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sdr,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sds_pre_post_actions_details sdf,sdf,sds_pre_post_actions_details sdf,sdf,sdf,sdf,sdf,sdf,sdf,sdf,sdf,sdf,	0.08	5	160	8			0.00		
select userdetailoUserID as UserID1_333_, userdetailontauth_status as tfauth_s2_333_, userdetailoDeletionAllowed as Deletion3_333_, userdetailoDomainID as DomainID4_333_, userdetailoGuid as Guid5_333_, userdetailoisAvailable as isAvaila6_333_, userdetailoIsFirstLogIn as IsFirstL7_333_, userdetailoIsLoginAllowed as IsLoginA8_333_, userdetailologin_failed_attempt as login_fa9_333_, userdetailoNotifiedAlertCount as Notifie10_333_, userdetailoOUName as OUName11_333_, userdetailoPassword as Passwor12_333_, userdetailoServer as Server13_333_, userdetailoSystemID as SystemI14_333_, userdetailoUserName as UserNam15_333_, userdetailoUserPreSyncStatus as UserPre16_333_, userdetailoUserPreSyncStatus as UserPre16_333_, userdetailoUserStatus as UserStat17_333_, userdetailoUserName=?	0.30	1	43	4			0.00		
select sdreadunre0userId as col_0_0_from sd_readunreadrecords sdreadunre0_ where sdreadunre0problemId=? and sdreadunre0userId=?	0.30	0	41	3			0.00		
insert into sd_readunreadrecords (isRead, ownerld, problemld, submittedBy, userld) values (?, ?, ?, ?, ?)	0.15	0	31	2			0.00		
select sdaddition0FIELDID as FIELDID1_180_0_, sdaddition0AssetColumn as AssetCol2_180_0_, sdaddition0ClustomVaildationScript as ClientSi3_180_0_, sdaddition0CustomVaildationScript as CustomVa4_180_0_, sdaddition0DependentFieldPopulaterQuery as Dependen5_180_0_, sdaddition0FIELD_DISPLAYNAME as FIELD_DI6_180_0_, sdaddition0field_name as field_na7_180_0_, sdaddition0FIELD_STORAGE_TYPE as FIELD_ST8_180_0_, sdaddition0GridControlFieldID as GridCont9_180_0_, sdaddition0IsAssetField as IsAsset10_180_0_, sdaddition0IsMobileChangeVisibility as IsMobil11_180_0_, sdaddition0IsMobileListVisibility as IsMobil12_180_0_, sdaddition0MACROID as MACROID14_180_0_, sdaddition0CRDERBY as ORDERBY15_180_0_, sdaddition0ScriptProperties as ScriptP16_180_0_, sdaddition0ProjectID as Project19_180_0_, sdaddition0Status as Status17_180_0_, sdaddition0URL as URL18_180_0_ from sd_addition0_laprams sdaddition0_ where sdaddition0FIELDID=?	3.37	1	60,068	124			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sd, sd_pre_post_actions_details st ,sd_pre_post_actions_details sd, sd_pre_post_actions_details sd, sd_pre_post_actions_details sd3 where r.MasterID = su.MasterID and r.MasterID and st.MasterID and st.MasterID = su.MasterID and sdr.MasterID = su.MasterID and sdr.MasterID = sd3.MasterID and sdr.MasterID = sd3.MasterID and rd.MasterID = sd3.MasterID and rd.CategoryID =1 and r.CategoryID =4 and st.CategoryID =3 and (st.CategoryValue=0 OR st.CategoryValue=40 And (sdr.CategoryValue=0 OR sdr.CategoryValue=0 OR sdr.CategoryValue=69) and sdd.CategoryID =6 and (sdf.CategoryValue=0 OR sdf.CategoryValue=0) and sdf.CategoryID =7 and (sdf.CategoryValue=0) and sdf.CategoryValue=0 OR sdf.CategoryValue	0.06	5	14	3			0.00		
update sd_servicereq_additionalparams set Data=?, DataId=?, InstanceID=?, ProblemID=?, ProjectID=?, FIELDID=? where ParamID=?	0.02	1	495	6			0.00		
SELECT DISTINCT(r.MasterID) FROM sd_pre_post_actions_details r,sd_pre_post_actions_details su, sd_pre_post_actions_details st ,sd_pre_post_actions_details sdf,sd_pre_post_actions_details sdf,sdf,sdf_pre_post_actions_details sdf,sdf,sdf_pre_post_actions_details sdf,sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_sdf_pre_post_actions_details sdf_pre_post_actions_details sdf_sdf_sdf_sdf_pre_post_actions_details sdf_sdf_sdf_sdf_sdf_sdf_sdf_sdf_sdf_sdf_	0.24	5	50	4			0.00		
Select ClassName , Name from sd_pre_post_actions where ID=13	0.25	0	17 3	2			0.00		
SELECT PropertyFileName,ProjectID FROM sd_pre_post_actions where ID=13 Select FIELD_DISPLAYNAME from sd_additionalparams where FIELDID=118	0.25 0.25	0	114	7			0.00		
insert into sd_servicereq_additionalparams (Data, Datald, InstanceID, ProblemID, ProjectID, FIELDID) values (?, ?, ?, ?, ?, ?)	0.00	0	73	3			0.00		
SELECT FullName FROM usermgmt_master where UserID=59	0.00	0	3	0			0.00		
Select distinct(rm.ProjectRoleID) from sd_project_roles rm,sd_project_roles_details rd where rd.UserID=59 and rd.ProjectRoleID = rm.ProjectRoleID and rm.ProjectID=1	0.00	0	2	0			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)